



# Kyyjärven COD-mittaus

26.4.2012

**Turvesuo**

Virtaus m <sup>3</sup> /vrk	25 920
COD mg/l	18,8
COD kg/vrk	487

Virtaus m <sup>3</sup> /vrk	898 600
COD mg/l	31,1
COD kg/vrk	27 950

Virtaus m <sup>3</sup> /vrk	27 200
COD mg/l	31,7
COD kg/vrk	860

Virtaus m <sup>3</sup> /vrk	12 450
COD mg/l	33,6
COD kg/vrk	420

Virtaus m <sup>3</sup> /vrk	118 800
COD mg/l	31,6
COD kg/vrk	3 750

Virtaus m <sup>3</sup> /vrk	3 586 600
COD mg/l	30,2
COD kg/vrk	108 300

Virtaus m <sup>3</sup> /vrk	276 500
COD mg/l	34,2
COD kg/vrk	9 450


Virtaus m <sup>3</sup> /vrk	1 207 000
COD mg/l	34,8
COD kg/vrk	42 000

Virtaus m <sup>3</sup> /vrk	103 700
COD mg/l	33,3
COD kg/vrk	3 450

**Kyyjärvestä lähtevä COD 33,5**

Virtaus m <sup>3</sup> /vrk	112 320
COD mg/l	31,0
COD kg/vrk	3 482

Virtaus m <sup>3</sup> /vrk	32 918
COD mg/l	33,8
COD kg/vrk	1 113





# Yhteystiedot

Insinööritoimisto Saloy Oy

Tapio Salminen, [tapio.salminen@saloy.net](mailto:tapio.salminen@saloy.net)

Sopulitie 2 B

00800 Helsinki

p. 010 6666 310

[www.saloy.net](http://www.saloy.net)